

# Install FreeNAS Initiator

When the cluster is used a convergent model with TrueNAS, the patches need to be installed for the FreeNAS Initiator to show under the storage dialogue

[GitHub Repo](#)

## Option 1

---

Connect to each node and install the following keys

```
curl https://ksatechnologies.jfrog.io/artifactory/ksa-repo-gpg/ksatechnologies-release.gpg  
-o /etc/apt/trusted.gpg.d/ksatechnologies-release.gpg  
curl https://ksatechnologies.jfrog.io/artifactory/ksa-repo-gpg/ksatechnologies-repo.list  
-o /etc/apt/sources.list.d/ksatechnologies-repo.list
```

Then issue the following to install the package

Line 3 may now be in the code after I put in the GitHub issue. [Link](#)

```
apt update  
apt install freenas-proxmox -y  
systemctl restart pvescheduler.service
```

## Option 2

---

This is the manual way to do this. However, I don't do it this way now that there is a package to install. The benefit to the package is that once Proxmox is updated, the TrueNAS configurations are not overwritten.

Let's create the SSH keys on the Proxmox boxes. (The IP must match your iSCSI Portal IP) You only need to create the keys on one node if they are clustered as the keys will replicate to the other nodes.

```
$portal_ip=192.168.2.252  
mkdir /etc/pve/priv/zfs  
ssh-keygen -f /etc/pve/priv/zfs/$portal_ip_id_rsa  
ssh-copy-id -i /etc/pve/priv/zfs/$portal_ip_id_rsa.pub root@$portal_ip
```

Enable "Log in as root with password" under Services -> SSH on the FreeNAS box.

Make an SSH connection from every node to the iSCSI Portal IP

```
ssh -i /etc/pve/priv/zfs/$portal_ip_id_rsa root@$portal_ip
```

Install the REST client on every node

```
apt-get install librest-client-perl git
```

Download the patches on every Proxmox node

```
git clone https://github.com/TheGrandWazoo/freenas-proxmox
```

Install the patches on every Proxmox node

These can be run all at once but it is harder to see the output

```
cd freenas-proxmox  
patch -b /usr/share/pve-manager/js/pvemanagelib.js < pve-manager/js/pvemanagelib.js.patch  
patch -b /usr/share/perl5/PVE/Storage/ZFSPlugin.pm < perl5/PVE/Storage/ZFSPlugin.pm.patch  
patch -b /usr/share/pve-docs/api-viewer/apidoc.js < pve-docs/api-viewer/apidoc.js.patch  
cp perl5/PVE/Storage/LunCmd/FreeNAS.pm /usr/share/perl5/PVE/Storage/LunCmd/FreeNAS.pm
```

## Restart the PVE services

```
systemctl restart pvedaemon  
systemctl restart pveproxy  
systemctl restart pvestatd
```

If you are using a cluster restart the following services as well.

```
systemctl restart pve-ha-lrm  
systemctl restart pve-ha-crm  
systemctl restart pvescheduler.service
```

Reload the PVE webgui. Now FreeNAS-API should be available as an iSCSI provider.

---

Revision #1

Created 7 June 2023 00:01:34 by Kory

Updated 7 June 2023 00:17:56 by Kory