
Remove Proxmox Subscription Notice

Whenever a Proxmox node is updated we need to remove the subscription notice, as it gets overwritten during the upgrade process. I do this only as a time-saving method.



Proxmox_subscription.png

Option 1

1. Change to the working directory

```
cd /usr/share/javascript/proxmox-widget-toolkit
```

2. Make a backup

```
cp proxmoxlib.js proxmoxlib.js.bak
```

3. Edit the file

```
nano proxmoxlib.js
```


4. Locate the following code (Use ctrl+w in nano and search for “No valid subscription”)

5. Find the following line to edit

```
.data.status.toLowerCase() !== 'active') {
```

and change the not (!) operator to look like the following

```
.data.status.toLowerCase() == 'active') {
```



6. Restart the Proxmox web service (also be sure to clear your browser cache, depending on the browser you may need to open a new tab or restart the browser)

```
systemctl restart pveproxy.service
```

Option 2

1. Change to the working directory

```
cd /usr/share/javascript/proxmox-widget-toolkit
```

2. Make a backup

3. Edit the file

```
nano proxmoxlib.js
```

4. Locate the following code (Use ctrl+w in nano and search for “No valid subscription”)

```
Ext.Msg.show({
title: gettext('No valid subscription'),
```

5. Replace “Ext.Msg.show” with “void”

```
void({ //Ext.Msg.show({
title: gettext('No valid subscription'),
```

6. Restart the Proxmox web service (also be sure to clear your browser cache, depending on the browser you may need to open a new tab or restart the browser)

```
systemctl restart pveproxy.service
```

Additional Notes

If you ever need to revert back you can either copy the backup file and replace the edited version or reinstall the WebKit

Revert from backup:

```
mv proxmoxlib.js.bak proxmoxlib.js
```

Reinstall Webkit:

```
apt-get install --reinstall proxmox-widget-toolkit
```

Revision #10
Created 2023-06-06 23:29:45 UTC by Kory
Updated 2023-09-16 22:37:56 UTC by Kory