


# Remove Proxmox Subscription Notice

Whenever a Proxmox node is updated we need to remove the subscription notice, as it gets overwritten during the upgrade process. I do this only as a time-saving method.



[Proxmox subscription.png](#)

## Option 1

1. Change to the working directory

```
cd /usr/share/javascript/proxmox-widget-toolkit
```

2. Make a backup

```
cp proxmoxlib.js proxmoxlib.js.bak
```

3. Edit the file

```
nano proxmoxlib.js
```

4. Locate the following code (Use ctrl+w in nano and search for "No valid subscription")

5. Find the following line to edit

```
.data.status.toLowerCase() !== 'active') {
```

and change the not (!) operator to look like the following

```
.data.status.toLowerCase() == 'active') {
```

```
let res = response.result;
if (res === null || res === undefined || !res || res
    .data.status.toLowerCase() == 'active') {
    Ext.Msg.show({
        title: gettext('No valid subscription'),
        icon: Ext.Msg.WARNING,
        message: Proxmox.Utils.getNoSubKeyHtml(res.data.url),
        buttons: Ext.Msg.OK,
        callback: function(btn) {
            if (btn === Ext.Msg.OK) {
                // ...
            }
        }
    });
}
```

6. Restart the Proxmox web service (also be sure to clear your browser cache, depending on the browser you may need to open a new tab or restart the browser)

```
systemctl restart pveproxy.service
```

## Option 2

---

1. Change to the working directory

```
cd /usr/share/javascript/proxmox-widget-toolkit
```

2. Make a backup

3. Edit the file

```
nano proxmoxlib.js
```

4. Locate the following code (Use ctrl+w in nano and search for “No valid subscription”)

```
Ext.Msg.show({
    title: gettext('No valid subscription'),
```

5. Replace “Ext.Msg.show” with “void”

```
void({ //Ext.Msg.show({  
title: gettext('No valid subscription'),
```

6. Restart the Proxmox web service (also be sure to clear your browser cache, depending on the browser you may need to open a new tab or restart the browser)

```
systemctl restart pveproxy.service
```

## Additional Notes

---

If you ever need to revert back you can either copy the backup file and replace the edited version or reinstall the WebKit

Revert from backup:

```
mv proxmoxlib.js.bak proxmoxlib.js
```

Reinstall Webkit:

```
apt-get install --reinstall proxmox-widget-toolkit
```

---

Revision #10

Created 6 June 2023 23:29:45 by Kory

Updated 16 September 2023 22:37:56 by Kory